











BOTTOM VIEW





COVER SECTION





PICKHOLE DETAIL





GROOVE DETAIL




SECTION A-A




SECTION B-B

# FRAME

NOTE:

1. DIMENSIONS SHOWN ARE EQUIVALENT DECIMALS OF 1/8 INCH FRACTIONAL SIZES. TOLERANCES SHALL BE ACCEPTED FOUNDRY STANDARDS AS OUTLINED IN THE IRON CASTINGS HANDBOOK PUBLISHED BY THE AMERICAN CAST METALS INSTITUTE. ALL CASTINGS SHALL MEET THE REQUIREMENTS OF 604.02.
2. COVERS SHALL BE EAST JORDAN IRON WORKS EJ 1020 AGS, NEENAH R-1530, OR APPROVED EQUAL.
3. FRAMES SHALL BE EAST JORDAN IRON WORKS EJ 1050 ZA, NEENAH R-1530, OR APPROVED EQUAL.

| | | |
|---|---|---|
| EST 1808 CITY OF DELAWARE OHIO<br>Public Works Department | STANDARD DETAIL<br>MANHOLE FRAME & COVER CASTINGS<br>(SANITARY SEWERS) | UTILITIES<br>SEWD-4.0<br>Rev. 12/31/2018 |